

Product: FAN UNIT W/ CEE E-SERIES ☑



Fan unit with power cord and thermostat for E-Serie Cabinets and wallmounts

Product Description

Fan unit with CEE 7/7 power cord (230V) and thermostat for E-Serie Cabinets and wallmounts. With thermostat, Power Cord (German Schuko CEE 7/7) unit with 1 fan (airflow 160 m3), 2 fans (airflow 320 m3), 3 fans (airflow 480 m3), 4 fans (airflow 640 m3), 6 fans (airflow 960 m3)

Technical Specifications

Application

Suitable Applications:	Ventilating hot air from the cabinets via the top or Blowing Cold air from the bottom into the cabinets	
Environmental Space:	Indoor	

Standards

EU CE Mark:	Yes
EU Directive 2011/65/EU (ROHS II):	Compliant
MII Order #39 (China RoHS):	EUP 50

Part Number

Packaging:	Individually packed in a box.

Variants

Item #	Number of Fans	Color	Application	
EDAF1021	2	Gray	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF1022	2	Black	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF1041	4	Gray	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF1042	4	Black	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF1061	6	Gray	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF1062	6	Black	Free standing E-Series Cabinets (except ESN 600mm depth)	
EDAF6011	1	Gray	ESN 600mm depth Cabinet and Wall-Mount E-Series	
EDAF6012	1	Black	ESN 600mm depth Cabinet and Wall-Mount E-Series	
EDAF6021	2	Gray	ESN 600mm depth Cabinet and Wall-Mount E-Series	
EDAF6022	2	Black	ESN 600mm depth Cabinet and Wall-Mount E-Series	
EDAF6031	3	Gray	ESN 600mm depth Cabinet and Wall-Mount E-Series	
EDAF6032	3	Black	ESN 600mm depth Cabinet and Wall-Mount E-Series	
Update and Revision: Revision Number: 0.42 Revision Date: 04-16-2020				

© 2020 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.